

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: August 2014 -Rev. 1/13/2015- Void After: August 2015

Product: Ceramic Plumbing Fixtures File No. 2688

Issued To: Laufen Bathrooms AG
Wahlenstrasse 46
4242 Laufen
,
Switzerland

Identification: Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms AG

tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics: Ceramic plumbing fixtures may include water closets, lavatories,



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms AG

urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada
International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASME A112.19.2-2013/CSA B45.1-13 including Update No. 1 dated October 2013



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 4

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms Ag

MODELS:

LAVATORIES

<u>Model Name</u>	<u>Model No.</u>	<u>Description</u>
ALESSI ONE	8.1197.3	Washbasin bowl
ALESSI ONE	8.1497.1	Washbasin countertop
ALESSI ONE	8.1597.0	Small Washbasin 465
Birova	8.1119.1	Built-in basin 490x355 grinded
Birova	8.1119.9	Built-in basin 490x355 ungrinded
Fiora	8.1178.0	Built-in basin 410 grinded
Fiora	8.1178.2	Built-in basin 440 grinded
Fiora	8.1178.8	Built-in basin 410 ungrinded
Fiora	8.1178.9	Built-in basin 440 ungrinded
Laufen Pro	60 8.1895.2	Wall-hung Washbasin
LB3	8.1068.6	Countertop washbasin 850
LB3	8.1368.1	Countertop washbasin 850, shelf left
LB3	8.1368.2	Countertop washbasin 850, shelf right
Lipsy	56 8.1129.1	Washbasin
Living	8.1243.0	built-in washbasin ungrinded
Living	8.1243.1	built-in washbasin grinded
Living City	8.1143.0	Countertop washbasin 450 rear side glazed
Living City	8.1143.1	Countertop washbasin 500 rear side glazed
Living City	8.1143.2	Countertop washbasin 600 rear side glazed
Living City	8.1543.2	Wall mounted washbasin 450
Living City	8.1543.3	Countertop washbasin 450 undersurface ground
Living Square	8.1643.1	Countertop washbasin 650
Living Square	8.1643.3	Countertop washbasin 900
Living Square	8.1643.5	Countertop washbasin 1300
Living Square	8.1643.8	Countertop washbasin 1800
Palace	8.1070.2	Washbasin 600
Palace	8.1170.4	Countertop washbasin 1200
Palace	8.1270.4	Countertop washbasin 1200 with towel rail
Palace	8.1570.1	Small washbasin 450
PALOMBA	8.1180.0	Freestanding tam tam
PALOMBA	8.1180.3	Floorstanding Washbasin
PALOMBA	8.1180.4	Freestanding Washbasin
PALOMBA	8.1480.9	Double countertop washbasin
PALOMBA	8.1680.2	Washbasin bowl
PALOMBA	8.1680.3	Washbasin bowl
PALOMBA	8.1780.1	Countertop washbasin 550
PALOMBA	8.1780.2	Countertop washbasin 650
PALOMBA	8.1780.4	Countertop washbasin 800
PALOMBA	8.1780.6	Countertop washbasin 1000
Pro	8.1196.0	Built-in basin 490 ungrinded
Pro	8.1196.3	Built-in basin 550 ungrinded
Pro	8.1196.5	Built-in basin 600 ungrinded
Pro	8.1196.6	Built-in basin 490x360 grinded



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 5

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms Ag

Pro	8.1196.8	Built-in basin 550 grinded
Pro	8.1196.9	Built-in basin 600 grinded
Pro	8.1295.3	Compact basin 600 all sides glazed
Pro	8.1296.2	Washbasin bowl 420
Pro	8.1296.4	Washbasin bowl 520
PRO	8.1695.5	Small Washbasin 360
PRO	8.1695.6	Small Corner Washbasin 495
PRO	8.1695.7	Small Washbasin 500
Pro	8.1895.9	Compact basin 600
Pro	8.1896.1	Built-in basin round ungrinded
Pro	8.1896.2	Built-in basin round grinded
Pro	8.1896.9	Built-in basin 490x360 ungrinded
Savoy	8.1319.2	Built-in basin 500x350 grinded
Savoy	8.1319.9	Built-in basin 500x350 ungrinded

WATER CLOSETS

<u>Model Name</u>	<u>Model No.</u>	<u>Description</u>
Laufen Pro	8.2395.0	One-Piece Toilet

BIDETS

<u>Model Name</u>	<u>Model No.</u>	<u>Description</u>
Form	8.3067.1	Wall Mounted
Form	8.3167.1	Floor Standing
Living City	8.3043.2	Wall Hung Bidet
Mimo Model	8.3055.1	Wall Mounted
Mylife Model	8.3294.1	Floor Standing
Palace	8.3070.1	WH bidet
Palomba Model	8.3080.1	Wall Mounted
Palomba Model	8.3280.1	Floor Standing
PRO	8.3095.2	WH bidet
Pro Model	8.3095.1	Wall Mounted
Pro Model	8.3295.1	Floor Standing

URINALS

<u>Model Name</u>	<u>Model No.</u>	<u>Description</u>
Alessi Dot	8.4090.5	Siphonic Urinal
Alessi One	8.4097.1	Wall Hung, Siphonic
Alessi One	8.4097.5	Alessi One urinal
Lema	8.4019.7	Lema urinal

ELBOW TRAPWAY CONNECTORS



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 6

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms Ag

Model 8.9901.9 Elbow Trapway connection

NON-VITREOUS CHINA FIXTURES

<u>Model No.</u>	<u>Set Name</u>	<u>Type</u>
8.1033.4	Kartell	Washbasin, shelf right, with special hidden outlet (600x460mm)
8.1033.5	Kartell	Washbasin, shelf left, with special hidden outlet (600x460mm)
8.1033.9	Kartell	Washbasin, shelf left, with special hidden outlet (900x460mm)
8.1043.2	Living	Washbasin
8.1055.6	Mimo	Washbasin 55 grinded
8.1067.3	FORM	Washbasin 60
8.1068.4	LB3	Washbasin 600
8.1068.8	LB3	Washbasin 1250
8.1080.1	Palomba	Washbasin 45
8.1080.3	Palomba	Washbasin 60
8.1080.6	Palomba	Washbasin
8.1090.1	Alessi DOT	Washbasin bowl 59
8.1090.2	Alessi DOT	Countertop washbasin 59
8.1094.4	Mylife	Washbasin bowl 650
8.1094.7	Mylife	Washbasin 950
8.1096.2	Laufen Pro S	Washbasin (550x465mm)
8.1096.3	Laufen Pro S	Washbasin (600x465mm)
8.1096.4	Laufen Pro S	Washbasin (650x465mm)
8.1096.7	Laufen Pro S	Washbasin (700x465mm)
8.1097.2	Alessi One	Washbasin
8.1133.1	Kartell	Freestanding washbasin, with special hidden outlet (375x435x900mm)
8.1143.1	Living City	Washbasin 500, undersurface ground
8.1143.2	Living City	Washbasin 600, undersurface ground
8.1143.3	Living Square	Washbasin bowl (360x360mm)
8.1143.4	Living Square	Washbasin bowl (600x340mm)
8.1143.5	Living Square	Washbasin bowl round (380mm)
8.1155.3	Mimo	Washbasin 600
8.1155.7	Mimo	Washbasin 60 grinded
8.1180.1	Palomba	Washbasin bowl
8.1190.2	Alessi DOT	Washbasin FS 59
8.1195.1	PRO	Small countertop Washbasin 450
8.1196.1	Laufen Pro	Washbasin undercounter
8.1197.1	Alessi	Washbasin floorstanding
8.1197.2	Alessi One	Washbasin freestanding
8.1233.1	Kartell	Washbasin bowl (420x420x135mm)
8.1233.2	Kartell	Washbasin bowl with tapbank, with special hidden outlet (750x350mm)
8.1243.2	Living City	Built-in washbasin, ground (400x335mm)
8.1243.4	Living City	Built-in washbasin (400x335mm)
8.1250.3	Palace	Washbasin 1200



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 7

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms Ag

8.1250.5	Palace	Washbasin 1500
8.1255.2	Mimo	Asymmetrical Washbasin 650
8.1268.1	LB3	Small Washbasin 300
8.1268.4	LB3	Washbasin 600
8.1268.6	LB3	Washbasin 1000
8.1280.1	Palomba	Washbasin bowl
8.1280.3	Palomba	Washbasin 45 grinded
8.1280.4	Palomba	Washbasin 60 grinded
8.1295.2	Laufen Pro S	Compact Washbasin Bowl (550x380mm) grinded
8.1295.3	Laufen Pro S	Compact Washbasin Bowl (600x380mm) grinded
8.1341.9	Vienna Varia	Washbasin due
8.1347.8	Vienna Varia	Washbasin
8.1347.9	Vienna Varia	Washbasin
8.1367.5	Form	Washbasin
8.1367.6	Form	Washbasin
8.1368.3	LB3	Asymmetrical Washbasin 1250
8.1380.1	Palomba	Washbasin bowl
8.1395.1	PRO	Drop in Washbasin 560
8.1395.6	PRO	Washbasin 850
8.1395.8	PRO	Washbasin 1050
8.1396.5	Laufen Pro S	Countertop washbasin (850x460mm)
8.1396.6	Laufen Pro S	Countertop washbasin (1050x460mm)
8.1397.1	Alessi One	Washbasin 50 Drop-in
8.1443.4	Living City	Drop in Washbasin 650
8.1443.5	Living Style	Washbasin
8.1443.6	Living	Washbasin
8.1443.7	Living Style	Washbasin
8.1443.9	Living Style	Washbasin
8.1468.1	LB3	Countertop Washbasin 800
8.1468.2	LB3	Countertop Washbasin 1000
8.1480.4	Palomba	Washbasin
8.1480.6	Palomba	Countertop Washbasin 1200
8.1480.8	Palomba	Washbasin
8.1490.5	Alessi Dot	Washbasin
8.1496.7	PRO	Double Washbasin 1300
8.1496.8	Laufen Pro S	Double Countertop washbasin (1300x460mm)
8.1497.3	Alessi One	Countertop washbasin, shelf right (1200 x 500mm)
8.1497.4	Alessi One	Countertop washbasin, shelf left (1200 x 500mm)
8.1497.5	Alessi One	Countertop washbasin, shelf right (900 x 500mm)
8.1497.6	Alessi One	Countertop washbasin, shelf left (900 x 500mm)
8.1533.1	Kartell	Small washbasin, with special hidden outlet (460x460mm)
8.1555.2	Mimo	Washbasin 45
8.1567.4	Form	Washbasin
8.1580.1	Palomba	Washbasin 85
8.1580.2	Palomba	Washbasin 85 drop-in
8.1595.4	Laufen Pro S	Small Washbasin asymmetric right (480x280mm)
8.1595.5	Laufen Pro S	Small Washbasin asymmetric left (480x280mm)
8.1596.0	Laufen Pro S	Small washbasin, asymmetric (360x250mm)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 8

-Rev. 1/13/2015-

Void After: August 2015

Product: Ceramic Plumbing Fixtures

File No. 2688

Issued To: Laufen Bathrooms Ag

8.1596.1	Laufen Pro S	Small washbasin (450x340mm)
8.1667.5	Form	Washbasin
8.1680.1	Palomba	Washbasin bowl 90
8.1695.2	Laufen Pro	Washbasin bowl
8.1696.1	Laufen Pro S	Small Washbasin (450x340mm) grinded
8.1696.2	Laufen Pro S	Washbasin Bowl (550x465mm) grinded
8.1696.3	Laufen Pro S	Washbasin Bowl (600x465mm) grinded
8.1696.4	Laufen Pro S	Washbasin Bowl (650x465mm) grinded
8.1696.5	Laufen Pro S	Washbasin Bowl (850x465mm) grinded
8.1696.6	Laufen Pro S	Washbasin Bowl (1050x465mm) grinded
8.1696.7	Laufen Pro S	Washbasin Bowl (700x465mm) grinded
8.1743.1	LIVING CITY	Countertop Washbasin 50
8.1743.2	LIVING CITY	Washbasin Bowl 50 grinded
8.1743.3	Living City	Washbasin 60
8.1743.4	Living City	Washbasin 60 grinded
8.1743.6	Living City	Washbasin 800
8.1743.7	Living City	Washbasin 800, undersurface ground
8.1795.2	PRO	Countertop Washbasin 600
8.1795.8	Laufen Pro S	Compact Washbasin (550x380mm) grinded
8.1795.9	Laufen Pro S	Compact Washbasin (600x380mm) grinded
8.1843.1	Living City	Washbasin 100 + ceramic shelf 40 left
8.1843.2	Living City	Washbasin 100 + ceramic shelf 40 right
8.1843.7	Living City	Washbasin 1000
8.1843.8	Living City	Washbasin 1000, undersurface ground
8.1890.1	Alessi DOT	Washbasin bowl 45
8.1894.4	Mylife	Washbasin 65 bowl
8.1895.3	PRO	Washbasin 650
8.1895.8	Laufen Pro S	Compact Washbasin (550x380mm) not grinded
8.1895.9	Laufen Pro S	Compact Washbasin (600x380mm) not grinded
8.1896.3	Laufen Pro S	Drop-in washbasin (560x440mm) grinded
8.1897.1	Alessi	Washbasin bowl
8.1897.3	Alessi One	Washbasin bowl, shelf left or right (800 x 425mm)
8.3033.1	Kartell	Wallhung Bidet (370x545x430mm)
8.3068.2	LB3	Wall Mounted Bidet
8.3090.1	Alessi Dot	Wall Mounted Bidet
8.3094.1	Mylife	Wall Mounted Bidet
8.3096.1	Laufen Pro S	Wallhung Bidet (360x530x430mm)
8.3097.1	Alessi One	Wall Mounted Bidet
8.3233.1	Kartell	Floorstanding bidet
8.3268.1	LB3	Floor Standing Bidet
8.3290.1	Alessi Dot	Floor Standing Bidet
8.3297.1	Alessi One	Floor Standing Bidet
8.5760.0	College	Washbasin