

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: September 2014 - Rev. 12/1/2014 - Void After: September 2015

Product: EPA WaterSense High Efficiency Toilets File No. 6246

Issued To: LAUFEN BATHROOMS AG
WAHLENSTRASSE 46
4242 LAUFEN
SWITZERLAND

Identification: Each fixture shall be marked with the marking requirements of the applicable performance standard. The product shall be marked with the manufacturer's logo and the EPA-IAPMO WaterSense label.

Characteristics: Gravity feed vitreous china water closets manufactured in compliance to EPA's WaterSense Tank-Type High Efficiency Toilet Specification that are equipped with an IAPMO R&T listed anti-siphon ballcock and flush valves, and to be installed in accordance with the manufacturer's instructions.

Manufactured in compliance with EPA's WaterSense Specification for Tank-Type Toilets (Version 1.1, 05-20-11 edition).

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

EPA's WaterSense Specification for Tank-Type Toilets (Version 1.2, 06-02-14 edition)


Chairman, Product Certification Committee


CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing.



MODELS:

Certification Date	Brand Name	Model Name	HET Model Number	Bowl Model Number	Bowl Brand Name	Tank Model Number	Tank Brand Name	Flush Type	Rated Flush Volume (Single or Average) (gpf)	Rated Flush Volume (Full Flush) (gpf)	Rated Flush Volume (Reduced Flush) (gpf)	Flush Mechanism
9/18/2009	Laufen	My Life		8.2094.6	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	My Life		8.2294.3		8.2694.1		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Alessi One		8.2297.6		8.2697.1		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Laufen Pro		8.2095.0	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	Laufen Pro		8.2095.2	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	Laufen Pro		8.2495.8		8.2695.3		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Alessi Dot		8.2090.0	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	Palomba		8.2480.6		8.2880.3		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Alessi Dot		8.2390.6		8.2890.1		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Alessi One		8.2097.6	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	Mimo		8.2055.0	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	Form		8.2367.6		8.2767.3		Dual	1.28	1.6	1.1	Gravity
9/18/2009	Laufen	Palomba		8.2080.1	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
9/18/2009	Laufen	LB3 Modern		8.2468.4		8.2868.3		Dual	1.28	1.6	1.1	Gravity
10/27/2010	Laufen	LB3		8.2068.0	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/27/2010	Laufen	Form		8.2067.1	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/27/2010	Laufen	Living City		8.2043.5	Laufen Bathrooms AG	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro	8.2395.3					Single	1.28			Gravity

Certification Date	Brand Name	Model Name	HET Model Number	Bowl Model Number	Bowl Brand Name	Tank Model Number	Tank Brand Name	Flush Type	Rated Flush Volume (Single or Average) (gpf)	Rated Flush Volume (Full Flush) (gpf)	Rated Flush Volume (Reduced Flush) (gpf)	Flush Mechanism
10/5/2012	Laufen	Savoy	8.2395.8					Dual	1.2	1.6	1	Gravity
10/5/2012	Laufen	Birova	8.2395.5					Dual	1.2	1.6	1	Gravity
10/5/2012	Laufen	Palace		8.2470.6	Laufen	8.2870.3		Dual	1.2	1.6	1	Gravity
10/5/2012	Laufen	Palace		8.2070.8	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Palace		8.2070.8	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Alessi dOt		8.2090.8	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Alessi dOt		8.2090.8	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Alessi One		8.2097.8	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Alessi One		8.2097.8	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2095.0	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2095.2	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2095.6	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2095.6	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Mimo		8.2055.0	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	LB3		8.2068.0	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Form		8.2067.1	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Mylife		8.2094.8	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Mylife		8.2094.8	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Living city		8.2043.5	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Palomba		8.2080.1	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2295.1	Laufen	111.335xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity
10/5/2012	Laufen	Laufen pro		8.2295.1	Laufen	111.728xx.x	GEBERIT	Dual	1.06	1.6	0.8	Gravity

For the suffix "xx.x":

-The first "xx" is replaced by "00" denoting no finish.

-The final "x" is replaced by a single digit numerical character (0-9) denoting shipping information.